







C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1: FECHA : 12-Dic-06	DH-05

Rec. Libre
[m]

0.050

FUNDACIÓN FILTROS (Vigas de fundación y Platea)	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
	1	20	12	29.20		 Con empalmes de 0.70 m	519	584.00
	2	52	12	9.85			455	512.20
	3	1700	10	1.70	15	ESTRIBOS 	1784	2890.00
	4	108	10	2.00	15	 horquilla En vigas de fundación	133	216.00
	5	508	12	3.00	15	 Horquilla	1355	1524.00
	6	66	16	2.00	30	 Espera	209	132.00

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1: FECHA : 12-Dic-06	DH-05

Rec. Libre
[m]





0.050

POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
7	508	10	1.70	15	0.79 0.12 0.79 horquilla	533	863.60
8	186	10	2.00	30	0.15 1.85 Espera	230	372.00

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1:	FECHA : 12-Dic-06 DH-05

Rec. Libre
[m]



0.050

	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
PLATEA	9	378	8	9.85	15		1471	3723.30
	10	138	8	29.20	15	 Con empalmes de 0.70 m	1592	4029.60
	11	198	12	2.00	15	 Horquilla	352	396.00
	12	368	8	0.80	15	 Espera	116	294.40
QUES	13	1404	10	2.75	15		2383	3861.00
	14	190	10	9.85	15		1155	1871.50

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1: FECHA : 12-Dic-06	DH-05

Rec. Libre
[m]







0.050

TABLA	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
	15	76	10	29.20	15		1370	2219.20
	16	114	12	2.00	15		203	228.00

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1:	FECHA : 12-Dic-06 DH-05

Rec. Libre
[m]



0.050

	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
TABIQUES	17	152	12	2.00	15	 0.92 horquilla En tabiques 0.16 0.92	270	304.00
	18	32	10	2.00		 0.92 horquilla En tramo superior de esquinas 0.16 0.92	40	64.00
	19	54	10	2.40	30	 2.40	80	129.60
	20	16	12	2.75		 2.75	39	44.00
	21	508	8	0.90	15	 0.17 Horquilla 0.37 0.36	181	457.20
	22	198	8	0.90	15	 0.12 Horquilla 0.39 0.39	70	178.20

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1: FECHA : 12-Dic-06	DH-05

Rec. Libre
[m]



0.050

	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
DESAGÜE	23	368	8	1.17	15		170	430.56
	24	184	8	1.20	15		87	220.80

C.F.I.	DENOMINACION: ARMADURAS FILTROS LENTOS	DOBLADO
	ESCALA 1: FECHA : 12-Dic-06	DH-05

Rec. Libre
[m]

0.050

	POS.	CANT.	DIAM.	LARGO	SEP.	FORMA y DIMENSIONES de las BARRAS	Kg.	L. TOTAL
DESAGÜE	25	184	8	1.50	15	 0.71 horquilla 0.08 0.71	109	276.00
	26	24	8	29.20	15	 12.00 5.20 12.00 Con empalmes de 0.50 m	277	700.80

Resumen

Acero en barras

	Ø6	Ø8	Ø10	Ø12	Ø16	Ø20	Ø25	Ø32	Total
Kg	0	4074	7708	3193	209	0	0	0	15184
m	0	10311	12487	3592	132	0	0	0	
barras	0	860	1041	300	11	0	0	0	

CAMBIOS